The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23806

Stream : Eagle Creek

Applicant : Boone County Highway Department

Thomas D Kouns

1955 Indianapolis Avenue

Lebanon, IN 46052

Description : The deck, floor beams, stringers, and various truss members will be replaced on

the existing single span steel thru truss bridge. The approach roads will not be raised. Channel work will consist of placing 30" class II riprap and geotextiles along the eastern abutment for scour protection. The western abutment wall will be reconstructed and a new retaining wall will be added. Details of the project are contained in information and plans received at the Division of Water on April

26, 2006.

Location : At the O'Neal Avenue stream crossing

near Zionsville, Eagle Township, Boone County

SW1/4, NE1/4, NW1/4, Section 26, T 18N, R 2E, Zionsville Quadrangle

Quad Code: 3908683

UTM Coordinates: Downstream 4425943 North, 562105 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 05/12/2006 10:20 AM

Application # : FW-23818

Stream : Unnamed Tributary Patoka

River

Applicant : Cedarwood Development

Margret Hewitt 1931 Merriman Way Akron, OH 44313

Description : An existing 6' by 8' culvert under State Route 56/U.S. Route 231 will be extended

200' south along the existing ditch. The new structure will consist of two 59" by 81" span and rise galvanized ultra flow pipes. They will have an upstream invert of 455.13' and a downstream invert at 454.00'. The two pipes will be connected to the existing concrete box culvert with a cast-in-place concrete structure. The pipes have been sized to match or exceed the capacity of the existing 6' by 8' concrete box. Minor channel shaping will occur downstream of the extension to provide a better flow transition out of the culvert. Details of the project are contained in information and plans received at the Division of Water on May 4,

2006.

Location : Bordered by U.S. Route 31/State Route 45 to the north and bordered by 5th

Street to the south

near Jasper, Bainbridge Township, Dubois County

SW1/4, NW1/4, NW1/4, Section 35, T 1S, R 5W, Jasper Quadrangle

Quad Code: 3808648

UTM Coordinates: Downstream 4249150 North, 505247 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23820

Stream : Unnamed Tributary Bayou

Creek

Applicant : Lloyd Hahn Lake Corporation, LLC

Daniel M Fuquay 416 Key West

Evansville, IN 47712-7614

Description

The project involves raising a low point on the crest near the west end of the dam, placing a small amount of fill on the downstream slope near the east end of the dam and modifying the open-channel emergency spillway to increase the discharge capacity. The lake has a permanent pool elevation of 404.6 feet, NGVD, with a 24-inch concrete pipe serving as a drop inlet structure. The dam crest width varies from 10 to 12 feet with the downstream slope typically at 2.5 to 1 and the upstream slope at about 3 to 1 below pool and 4 to 1 or flatter above pool. The dam crest elevation varies from 409.1 to 410.9 feet, NGVD. The present emergency spillway has a bottom width ranging from 8 to 15 feet and a crest elevation of 407.2 feet, NGVD. The channel side slopes vary from 2:1 to 5:1 on the north slope and 3:1 to 8:1 on the south slope. The area of the dam to be raised will be prepared by stripping the vegetation from the crest and upstream face and also removing the riprap from the upstream face. The fill will be placed to an elevation of 410.0 feet, NGVD, with suitable clay material and be compacted. The area to receive fill at the east downstream slope will also be stripped and clay fill placed and compacted. The emergency spillway channel will be widened to a 40 foot bottom width with a crest elevation of 405.75 feet, NGVD, and 3 to 1 or flatter side slope. All affected areas will be properly revegetated with an accepted seed mixture and receive adequate mulching and/or erosion treatment. Riprap removed from the upstream face of the dam will be properly replaced. Plans, specifications, hydrologic/hydraulic calculations and photographs will be submitted with the application package. Details of the project are contained in information received electronically at the Division of Water on May 4, 2006.

Location

Lloyd Hahn Lake is situated on an unnamed tributary to Bayou Creek in southwestern Vanderburgh County, Indiana. The site is southwest of the city of Evansville in Perry Township, approximately 0.2 mile north of Schmuck Road and 1 mile south of Broadway Avenue. The lake is located in the NW ¼ of Section 8, Township 7 South, Range 11 West as seen on the West Franklin, Indiana USGS quadrangle map.

near Evansville, Perry Township, Vanderburgh County

NE1/4, SW1/4, NW1/4, Section 8, T 7S, R 11W, West Franklin, IN-KY Quadrangle

Quad Code: 3708786

UTM Coordinates: Downstream 4198259 North, 440953 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23823

Stream : Ohio River

Applicant : Sellersburg Water Department

Kenneth Alexander

PO Box 175

Sellersburg, IN 47172-0175

Description : A water well and well tower will be constructed along the north bank of the Ohio

River. Construction will include a buried valve vault, buried power conductors and a buried 16" ductile iron raw water main. Well tower platform to be placed 4' above 100 year flood elevation. Details of the project are contained in information

and plans received at the Division of Water on May 5, 2006.

Location : Utica Pike between Allison Lane and Carotia Drive, approximately 250' north of

the Ohio River

near Sellersburg, Jeffersonville Township, Clark County Clark Military Grant #4, Jeffersonville, IN-KY Quadrangle

Quad Code: 3808536

UTM Coordinates: Downstream 4239109 North, 614372 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-23824

Stream : McMillan Ditch

Applicant : Texas Eastern Transmission Company

Rita Nguyen

Duke Energy Building 5400 Westheimer Court Houston, TX 77056

Description : A 24" diameter gas transmission pipeline will be buried approximately 300'

beneath McMillan Ditch to replace an existing pipeline. The line will be placed by the trench method. Details of the project are contained in information and plans

received at the Division of Water on May 5, 2006.

Location : Approximately 4700' upstream (northeast) of the East Fork White River

confluence

near Medora, Carr Township, Jackson County SW¼, Section 25, T 5N, R 3E, Medora Quadrangle

Quad Code: 3808672

UTM Coordinates: Downstream 4299075 North, 574250 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 4 05/12/2006 10:20 AM

Application # : FW-23825

Stream : Unnamed Tributary

McMillan Ditch

Applicant : Texas Eastern Transmission Company

Rita Nguyen

Duke Energy Building 5400 Westheimer Court Houston, TX 77056

Description : A 24" diameter gas transmission pipeline will be buried approximately 300'

beneath the Unnamed Tributary of McMillan Ditch to replace an existing pipeline. The line will be placed by the trench method. Details of the project are contained

in information and plans received at the Division of Water on May 5, 2006.

Location : Approximately 1200' upstream (northwest) of the McMillan Ditch confluence

near Medora, Carr Township, Jackson County

SW¼, SE¼, SE¼, Section 26, T 5N, R 3E, Medora Quadrangle

Quad Code: 3808672

UTM Coordinates: Downstream 4298375 North, 573650 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-23826

Stream : Big Blue River

Applicant : Town of Carthage

Tim Wehr

6 West First Street Carthage, IN 46115

Description : An 8" diameter water main will be placed beneath Big Blue River to connect to

existing water mains. The line will be placed by the directional bore method. It will have 4' of cover beneath the streambed. Details of the project are contained in

information and plans received at the Division of Water on May 8, 2006.

Location : Approximately 1000' west of the intersection of Henley Avenue and County Road

800 North

near Carthage, Ripley Township, Rush County

NW1/4, NE1/4, Section 25, T 15N, R 8E, Carthage Quadrangle

Quad Code: 3908565

UTM Coordinates: Downstream 4398325 North, 621450 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23827

Stream : Carthage Creek

Applicant : Town of Carthage

Tim Wehr

6 West First Street Carthage, IN 46115

Description : An 8" diameter water main will be placed beneath Carthage Creek to connect to

existing water mains. The line will be placed by the open cut method. It will have 3' of cover beneath the streambed. The line will be encased with compacted granular fill for the section below the streambed. The streambank will be protected with revetment riprap laid over a geotextile fabric. Details of the project

are contained in information and plans received at the Division of Water on May

8, 2006.

Location : Approximately 700' north of the intersection of Log Street and Harrison Street

at Carthage, Ripley Township, Rush County

SW1/4, NE1/4, Section 19, T 15N, R 9E, Carthage Quadrangle

Quad Code: 3908565

UTM Coordinates: Downstream 4399350 North, 622850 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23828

Stream : Carthage Creek

Applicant : Town of Carthage

Tim Wehr

6 West First Street Carthage, IN 46115

Description : A 6" diameter water main will be placed beneath Carthage Creek to connect to

existing water mains. The line will be placed by the open cut method. It will have 3' of cover beneath the streambed. The line will be encased with compacted granular fill for the section below the streambed. The streambank will be protected with revetment riprap laid over a geotextile fabric. Details of the project

are contained in information and plans received at the Division of Water on May

8, 2006.

Location : Approximately 200' north of the intersection of Log Street and Walnut Street

at Carthage, Ripley Township, Rush County

SE1/4, SE1/4, NW1/4, Section 19, T 15N, R 9E, Carthage Quadrangle

Quad Code: 3908565

UTM Coordinates: Downstream 4399225 North, 622550 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23829

Stream : Wabash River

Applicant : CSX Transportation

Paul J Kurzanski

500 Water Street J-275

Jacksonville, FL 32202-4423

Description

The superstructure of the existing five-span bridge carrying CSXT rail line transportation over Smalls Creek will be widened to the East to accommodate one additional set of railroad tracks to increase railroad capacity along the CE&D Subdivision which runs from Chicago to Evansville, IN. The 15 ft deck will be increased by extending both the abutments and piers upstream and downstream approximately 39 ft thereby increasing the out-to-out width to 54 ft. The approach roads will not be raised and there will be minimal work in the channel. Fill placement for the siding track will occur in the Wabash River 100-year floodplain to the right of the Wabash River facing downstream. The fill will be placed on the East side of the railroad tracks from the northern terminus of the project (M.P. 228.6) to Purdue Road, on the West side of the railroad tracks from Purdue Road to approx. M.P. 230.4, and on the East side of the railroad tracks from approx. M.P. 230.4 to the southern terminus of the project (M.P. 230.8). The siding track work will include placing approximately 31,000 yd3 of fill material and installation of other materials associated with the siding track construction. Due to the linear nature of the project, the fill dimensions (length, width and depth) and the distance from the top of bank will vary along the alignment. The fill side slopes tend to be 2:1 along the alignment. The proposed siding track profile elevation will be between 426.67 ft and 428.40 ft NGVD. The project will require approximately 21,000 yd3 of borrow material from a borrow location to be determined. Details of the project are contained in information received electronically at the Division of Water on May 9, 2006.

Location

: CSX Transportation (CSXT) proposes to construct an approximately 2.0-mile railroad siding extension adjacent and parallel to the existing CSXT mainline railroad tracks between the Wabash River and Highway 41, near Vincennes, Knox County, Indiana. The limits of construction will extend between 35-90 feet from the centerline of the existing mainline track. The proposed siding extension would include widening of an existing five span bridge over Smalls Creek at CSXT M.P. 228.9, and limited filling in the floodplain of the Wabash River from CSXT M.P. 228.6 to M.P. 230.8. The proposed CSXT extension project is located within the Frichton, Oaktown, and Vincennes USGS quadrangles. The coordinates of the approximate center of project corridor are: Latitude North 38 degrees 44.22 minutes and Longitude West 87 degrees 29.90 minutes. The current railroad bridge across Smalls Creek will be widened (approximately 39 feet) to accommodate the proposed siding and a service road.

At Vincennes, Washington Township, Knox County Section 35, T 4N, R 10W, Fritchton Quadrangle

Quad Code: 3808764

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-23830

Stream : Cool Creek

Applicant : Buckingham Companies

Sara Nasuti

333 North Pennsylvania Street Indianapolis, IN 46204-1821

Description

: An entry road, lane widening on Smokey Row Road, sidewalks, stormwater management pond, and utilities will be constructed in association with Arden Townhomes within the floodway of Cool Creek. The road will be elevated a maximum of 3.7' above the existing grade. A 5' wide sidewalk will be constructed south of the entry road. An area south of the entry road will be excavated. Two reinforced concrete storm sewer outfall pipes buried approximately 2' below grade, one 12" and one 21" diameter, will terminate in a concrete end section that will conform to the stream bank. Riprap on a geotextile fabric will be placed at the base of the end section for energy dissipation. An 8" diameter PVC sanitary sewer buried 6-14' beneath the existing grade will connect to an existing sanitary sewer adjacent the northerly right-of-way line of Smokey Row Road. A stormwater management pond with a permanent pool depth of 8 feet will be excavated. Additional material is contained in the plans, specifications and color photographs enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on May 9, 2006.

Location

: Address: 1940 E. 136th Street - Carmel, Indiana North side of 136th Street (Smokey Row Road) adjacent to Cool Creek along the west, Carmel High School Stadium to the east, and the old Rail Road along the north.

At Carmel, Clay Township, Hamilton County

Section 19, T 18N, R 4E

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # FW-23831

Stream : Cool Creek

Applicant : Kite Realty Group

Eric Strickland

30 South Meridian Street

Suite 1100

Indianapolis, IN 46204-3510

Description

: 1.9 acres of forested/emergent wetland mitigation will be created adjacent to Cool Creek at 161st Street and Westfield Blvd for compensation for wetland impacts. A high flow channel, approximately 30 feet wide with the base elevation set at 836, will allow flood waters from Cool Creek, base elevation at 835, to flow into the wetland and an Agridrain structure will regulate the release of the water back into Cool Creek. Approximately 5000 cu. yd. of soil will be removed from the project site by truck. The wetland will be incorporated into Westfield Parks and will include a parking lot and trails to facilitate an educational theme. Details of the project are contained in information received electronically at the Division of

Water on May 11, 2006.

Location The proposed mitigation site is located southeast of the intersection of Westfield

Blvd. and 161st Street, and west of Cool Creek, Westfield, Hamilton County,

Indiana

At Westfield, Washington Township, Hamilton County

Section 7, T 18N, R 4E, Westfield Quadrangle

Quad Code: 4008612

Statute/Rule Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20435

Lake : Winona Lake

Applicant : Island Lake Property Owners Association

105 East Main Street Warsaw, IN 46580-2742

Description : A temporary group pier will be placed at the lake's frontage to provided access

and mooring facilities. The temporary pier will extend 175' lakeward of, and perpendicular to, the lake's legal shoreline. The pier will be supported by auger poles, which will be placed in the lakebed using hand held tools. Details of the project are contained in information and plans received at the Division of Water

on April 27, 2006.

Location : Lot 42 in Williams Addition to Yarnell Point

near Warsaw, Wayne Township, Kosciusko County

NW1/4, NW1/4, SW1/4, Section 16, T 32N, R 6E, Warsaw Quadrangle

Quad Code: 4108527

UTM Coordinates: Downstream 4564494 North, 597070 East

Statute/Rule: Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20436

Lake : Royer Lake

Applicant : Robert Drach

2761 Howard Street

Lake Station, IN 46405-2034

Description : An existing 36' by 900' channel will be dredged. Approximately 4' of accumulated

muck and debris will be removed from the center of the channel to 5' from both shorelines. The excavated material will be transported to an upland containment area for dewatering. The dredged material will then be leveled and seeded with

grass landward of the shoreline. Details of the project are contained in information and plans received at the Division of Water on April 27, 2006.

Location : 2761 Howard Street; southeast of Royer Lake

near Lake Station, Johnson Township, LaGrange County S½, N½, Section 2, T 36N, R 10E, Wolcottville Quadrangle

Quad Code: 4108553

UTM Coordinates: Downstream 4607528 North, 638472 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 11 05/12/2006 10:20 AM

Application # : PL-20439

Lake : Crooked Lake

Applicant : Ken Coleman

3808 Capilano Drive

West Lafayette, IN 47906-8881

Description : A new glacial stone seawall will be constructed across 400' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received

at the Division of Water on May 1, 2006.

Location : 345 Old Point Comfort

near Angola, Pleasant Township, Steuben County

SE14, SE14, SE14, Section 8, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4615084 North, 662539 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20440

Lake : Lake Gage

Applicant : Mary Lou Phillips

713 North Harrison Street Papillion, NE 68046-4318

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on May 1, 2006.

Location : 6336 West South Lake Gage Drive

near Angola, Jackson Township, Steuben County

SW¼, NW¼, NE¼, Section 2, T 37N, R 12E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4618031 North, 657072 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20441

Lake : Snow Lake

Applicant : Gloria E Grim

> 75 Lane 880 Snow Lake Fremont, IN 46737-9748

Description : A glacial stone seawall will be constructed along 85' of the applicant's frontage.

Its lakeward face will be at the legal shoreline. Details of the project are contained

in information received electronically at the Division of Water on May 2, 2006.

Location : 75 Lane 880 Snow Lake

near Fremont, Jamestown Township, Steuben County

NW1/4, SE1/4, NW1/4, Section 27, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4621091 North, 664453 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20445

Lake : Lake Wawasee

Applicant : Peter X Kennedy

> Beth A Kennedy 5986 East Pickwick

Syracuse, IN 46567-9706

Description : We would like to be able to have a non-permanent fountain in the water to help

> with the condition of the water since we are at the channels end. we feel this would look better and be healthier than having stagnant water sitting there. Details of the project are contained in information received electronically at the

Division of Water on May 4, 2006.

Location : 5986 East Pickwick

at Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20447

Lake : Diamond Lake

Applicant : Ed Fritz

5527 West 850 South Claypool, IN 46510-9225

Description : A concrete seawall will be refaced with a layer of concrete across a portion of the

applicant's 75' frontage. The reface layer will be keyed to the wall's lakeward face. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on May 9, 2006.

Location : 5527 West 850 South; Lot 4, Hackworth's First Addition

near Silver Lake, Seward Township, Kosciusko County

NE14, NE14, SW14, Section 26, T 31N, R 5E, Silver Lake Quadrangle

Quad Code: 4108518

UTM Coordinates: Downstream 4551125 North, 589187 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20448

Lake : Jimmerson Lake

Applicant : Robert E Freeman

960 Lane 340 Jimmerson Lake

Fremont, IN 46737-9258

Description : An underwater beach will be constructed across 30' of the applicant's 75' frontage

by placing an uniform 2" layer of of pea gravel on the lakebed. The beach will begin approximately 2' south of the northern property line and will extend 30' south. Details of the project are contained in information received electronically

at the Division of Water on May 9, 2006.

Location : 960 Lane 340 Jimmerson Lake

near Angola, Jamestown Township, Steuben County

NW1/4, SW1/4, NW1/4, Section 32, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4619200 North, 660975 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 14 05/12/2006 10:20 AM

Application # : PL-20449

Lake : Tippecanoe Lake

Applicant : Pamela K Hollar

4008 E Forest Glen Avenue Leesburg, IN 46538-9553

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's

88' frontage. The reface layer will be keyed to the wall's lakeward face. A 30" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information

received electronically at the Division of Water on May 9, 2006.

Location : 4008 East Forest Glen Avenue; Lots 34 and 35 Forest Glenn

near Leesburg, Plain Township, Kosciusko County

NW1/4, NW1/4, SW1/4, Section 7, T 33N, R 7E, Leesburg Quadrangle

Quad Code: 4108537

UTM Coordinates: Downstream 4576047 North, 603222 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20451

Lake : Crooked Lake

Applicant : Stephen D Henry

1375 West Sycamore Beach Road

Angola, IN 46703

Description : An existing underwater beach will be improved in front of the property of the

applicant on Crooked Lake to prevent further beach erosion. A 6 inch layer of 7/64 inch clean, washed pea gravel will be placed directly on top of the remaining sand. The placement will begin approximately one ft south of the southern property line and will extend northerly across 30 ft of the 60 ft frontage. It will project lakeward for the lessor of 30 ft or a depth of 4 ft below the average normal

level of the lake. Details of the project are contained in information received

electronically at the Division of Water on May 11, 2006.

Location : Underwater beach in front [lakeside] of 3175 W Sycmaore Beach Rd

Near Angola, Pleasant Township, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20452

Lake : Crooked Lake

Applicant : Carl E Sigsbee

51096 North Shore Drive Elkhart, IN 46514-6360

Description : A 52' vinyl seawall will be constructed along the applicant's property to avoid

further erosion following the lakes legal shoreline. 6' sheets will be driven 4.5' into the lakebed with an 18" exposure. The wall will be caped with an aluminum cap tied back to the bank with deadmen every 4.5". Clean pea gravel will be brought onsite to backfill the wall then toped with 3" to 4" topsoil. Details of the project are contained in information received electronically at the Division of Water on May

11, 2006.

Location : bells n shore place lot 31. parcel # 20002017-226-012.000-026

Near Elkhart, Osolo Township, Elkhart County

Section 17, T 38N, R 5E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20453

Lake : Adams Lake

Applicant : William R Lewis

4410 Norarrow Drive

Fort Wayne, IN 46845-9666

Description : A new seawall will be constructed across 80 ft of the frontage of the applicant

along Adams Lake to deter shoreline erosion. The wall will be constructed using vinyl sheet pilings anchored to deadmen 12 ft into the property from the shoreline. It will be 24 inches high and will have a maximum thickness of 6 inches. The lakeward face of the wall will be legal/average shoreline. Details of the project are contained in information received electronically at the Division of Water on

May 11, 2006.

Location : 6097 S 455 E

Wolcottville IN 46795

parcel #010-261-54-00 parcel #010-261-68-00 parcel #010-261-20-10

Oakwood plat

Near Wolcottville, Johnson Township, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 17 05/12/2006 10:20 AM